Brain Research, 566 (1991) 358–359
Elsevier

Author Index

Advokat, C., see Baumeister, A., 351
Agarwal, S.K., see Chitravanshi, V.C., 290
Agnati, L.F., see Aguirre, J.A., 61
Aguirre, J.A., Fuxe, K., Hedlund, P., Narváez, J.A., Cintra, A., Rosén, L. and Agnati, L.F., Neuropeptide Y/angiotensin II interactions in central cardiovascular regulation of the rat, 61
Ahdab-Barmada, M., see Schor, N.F., 342
Alam, M.N. and Mallick, B.N., Differential influence of medial and lateral preoptic areas on body temperature in conscious and unconscious rats, 303
Aminoff, M.J., see Chequer, R.S., 284
Antelman, S.M., Caggiula, A.R., Kocan, D., Knopf, S., Meyer, D., Edwards, D.J. and III, H.B., One experience with 'lower' or 'higher' intensity stressors, respectively enhances or diminishes responsiveness to haloperidol weeks later: implications for understanding drug variability, 276
Atchison, W.D., see Hewett, S.J., 320

Baumeister, A. and Advokat, C., Evidence for a supraspinal mechanism in the opioid-mediated antinociceptive effect of ketamine, 351
Bereczki, D., see Paschen, W., 354
Bertel, O., Malessa, S., Sluga, E. and Hornykiewicz, O., Amyotrophic lateral sclerosis: changes of noradrenergic and serotonergic transmitter systems in the spinal cord, 54
Berthold, C.-H., see Gatzinsky, K.P., 131
Besson, M.J., see Mitrovic, N., 248
Billington, C.J., see Levine, A.S., 193
Blanchard, J., see Morin, L.P., 173
Blanchard, J., see Morin, L.P., 186
Blicharska, J., see Neary, J.T., 89
Bongers, C.M.H., see Holstege, J.C., 308
Boya, J., see Calvo, J.L., 333
Bravo, R., see Leah, J.D., 198

Caboche, J., see Mitrovic, N., 248
Caggiula, A.R., see Antelman, S.M., 276
Calaresu, F.R., see Chitravanshi, V.C., 290
Calvo, J.L., Carbonell, A.L. and Boya, J., Co-expression of glial fibrillary acidic protein and vimentin in reactive astrocytes following brain injury in rats, 333
Canbeyli, R.S., Romero, M.-T. and Silver, R., Neither triazolam nor activity phase advance circadian locomotor activity in SCN-lesioned hamsters bearing fetal SCN transplants, 40
Carbonell, A.L., see Calvo, J.L., 333
Carré, J.B., see Mitrovic, N., 248
Cecconi, R., see Del Bianco, E., 46
Challamel, M.J., see Duclaux, R., 152
Cheng, J., see Pick, C.G., 295
Chequer, R.S., Goodin, D.S. and Aminoff, M.J., The nature of suprasegmental influences on the late reflex activity in human forearm muscles, 284
Cherki-Vakil, R. and Meiri, H., Postsynaptic effects of DMSO at the frog neuromuscular junction, 329
Chiang, C.-S. and McBride, W.H., Radiation enhances tumor necrosis factor α production by murine brain cells, 265
Chiba, T., see Takagishi, M., 26
Chitravanshi, V.C., Agarwal, S.K. and Calaresu, F.R., Microinjection of glycine into the nucleus ambiguus elicits tachycardia in spinal rats, 290
Chung, K., see Klein, C.M., 70
Cintra, A., see Aguirre, J.A., 61
Clarençon, D., see Testylier, G., 159
Coggeshall, R.E., see Klein, C.M., 70
Coleman-Hardee, M.L., see Peris, J., 255
Collet, L., see Duclaux, R., 152
Convents, A., see Vos, H.D., 13
Coulter, D.A., see Sombati, S., 316
Cowan, E.P., see McCarron, R.M., 325
Csiba, L., see Paschen, W., 354

Datta, S., Dossi, R.C., Paré, D., Oakson, G. and Steriade, M., Substantia nigra reticulata neurons during sleep–waking states: relation with ponto-geniculo-occipital waves, 344
De Backer, J.-P., see Vos, H.D., 13
De Jong, W., see Sandor, P., 212
De Keyser, J., see Vos, H.D., 13
De Wied, D., see Sandor, P., 212
Decambre, N., see Peris, J., 255
Del Bianco, E., Santicioli, P., Tramontana, M., Maggi, C.A., Cecconi, R. and Geppetti, P., Different pathways by which extracellular Ca^{2+} promotes calcitonin gene-related peptide release from central terminals of capsaicin-sensitive afferents of guinea pigs: effect of capsaicin, high K^+ and low pH media, 46
DeLorenzo, R.J., see Sombati, S., 316
deToledo-Morrell, L., see Geinisman, Y., 77
Diana, M., Mereu, G., Mura, A., Fadda, F., Passino, N. and Gessa, G., Low doses of γ-hydroxybutyric acid stimulate the firing rate of dopaminergic neurons in unanesthetized rats, 208
Dossi, R.C., see Datta, S., 344
Dragunow, M., see Jansen, K.L.R., 225
Duclaux, R., Challamel, M.J., Collet, L., Roullet-Solignac, I. and Revol, M., Hemispheric asymmetry of late auditory evoked response induced by pitch changes in infants: influence of sleep stages, 152

Ebinger, G., see Vos, H.D., 13
Edwards, D.J., see Antelman, S.M., 276

Fabricius, C., see Gatzinsky, K.P., 131
Fadda, F., see Diana, M., 208
Fatome, M., see Testylier, G., 159
Faull, R.L.M., see Jansen, K.L.R., 225
Feldman, S., see Weidenfeld, J., 140
Florack, V.J., see Watt, C.B., 337
Fuxe, K., see Aguirre, J.A., 61

Garant, D.S., see Xu, S.G., 108
Gatzinsky, K.P., Berthold, C.-H., Fabricius, C. and Mellström, A., Lysosomal activity at nodes of Ranvier in dorsal column and dorsal root axons of the cat after injection of horseradish peroxidase in the dorsal column nuclei, 131
Geinisman, Y., deToledo-Morrell, L. and Morrell, F., Induction of long-term potentiation is associated with an increase in the number of axospinous synapses with segmented postsynaptic densities, 77
Geppetti, P., see Del Bianco, E., 46
Gessa, G., see Diana, M., 208
Gintzler, A.R. and Komisaruk, B.R., Analgesia is produced by uterocervical mechanostimulation in rats: roles of afferent nerves and implications for analgesia of pregnancy and parturition, 299
Goodin, D.S., see Chequer, R.S., 284
Gourmelon, P., see Testylier, G., 159
Grace, M., see Levine, A.S., 193
Grundke-Iqbal, I., see Wang, G.P., 146
Gu, G.-B., see Han, Z.-S., 239

Han, J.S., see Ma, Q.P., 95
Han, Z.-S., Gu, G.-B., Sun, C.-Q. and Ju, G., Convergence of somatosensory and baroreceptive inputs onto parabrachio-subfornical organ neurons in the rat: an electrophysiological study, 239
Hedlund, P., see Aguirre, J.A., 61
Henselmans, J.M.L. and Stoof, J.C., Regional differences in the regulation of acetylcholine release upon D_2 dopamine and *N*-methyl-D-aspartate receptor activation in rat nucleus accumbens and neostriatum, 1
Henselmans, J.M.L., Hoogland, P.V. and Stoof, J.C., Differences in the regulation of acetylcholine release upon D_2 dopamine and *N*-methyl-D-aspartate receptor activation between the striatal complex of reptiles and the neostriatum of rats, 8
Herdegen, T., see Leah, J.D., 198
Hewett, S.J. and Atchison, W.D., Serum and plasma from patients with Lambert-Eaton Myasthenic Syndrome reduce depolarization-dependent uptake of $^{45}Ca^{2+}$ into rat cortical synaptosomes, 320
Hoebel, B.G., see Pothos, E., 348
Holstege, J.C. and Bongers, C.M.H., A glycinergic projection from the ventro-

Brain Research, 566 (1991) 358–359
Elsevier

Author Index

Advokat, C., see Baumeister, A., 351
Agarwal, S.K., see Chitravanshi, V.C., 290
Agnati, L.F., see Aguirre, J.A., 61
Aguirre, J.A., Fuxe, K., Hedlund, P., Narváez, J.A., Cintra, A., Rosén, L. and Agnati, L.F., Neuropeptide Y/angiotensin II interactions in central cardiovascular regulation of the rat, 61
Ahdab-Barmada, M., see Schor, N.F., 342
Alam, M.N. and Mallick, B.N., Differential influence of medial and lateral preoptic areas on body temperature in conscious and unconscious rats, 303
Aminoff, M.J., see Chequer, R.S., 284
Antelman, S.M., Caggiula, A.R., Kocan, D., Knopf, S., Meyer, D., Edwards, D.J. and III, H.B., One experience with 'lower' or 'higher' intensity stressors, respectively enhances or diminishes responsiveness to haloperidol weeks later: implications for understanding drug variability, 276
Atchison, W.D., see Hewett, S.J., 320

Baumeister, A. and Advokat, C., Evidence for a supraspinal mechanism in the opioid-mediated antinociceptive effect of ketamine, 351
Bereczki, D., see Paschen, W., 354
Bertel, O., Malessa, S., Sluga, E. and Hornykiewicz, O., Amyotrophic lateral sclerosis: changes of noradrenergic and serotonergic transmitter systems in the spinal cord, 54
Berthold, C.-H., see Gatzinsky, K.P., 131
Besson, M.J., see Mitrovic, N., 248
Billington, C.J., see Levine, A.S., 193
Blanchard, J., see Morin, L.P., 173
Blanchard, J., see Morin, L.P., 186
Blicharska, J., see Neary, J.T., 89
Bongers, C.M.H., see Holstege, J.C., 308
Boya, J., see Calvo, J.L., 333
Bravo, R., see Leah, J.D., 198

Caboche, J., see Mitrovic, N., 248
Caggiula, A.R., see Antelman, S.M., 276
Calaresu, F.R., see Chitravanshi, V.C., 290
Calvo, J.L., Carbonell, A.L. and Boya, J., Co-expression of glial fibrillary acidic protein and vimentin in reactive astrocytes following brain injury in rats, 333
Canbeyli, R.S., Romero, M.-T. and Silver, R., Neither triazolam nor activity phase advance circadian locomotor activity in SCN-lesioned hamsters bearing fetal SCN transplants, 40
Carbonell, A.L., see Calvo, J.L., 333
Carré, J.B., see Mitrovic, N., 248
Cecconi, R., see Del Bianco, E., 46
Challamel, M.J., see Duclaux, R., 152
Cheng, J., see Pick, C.G., 295
Chequer, R.S., Goodin, D.S. and Aminoff, M.J., The nature of suprasegmental influences on the late reflex activity in human forearm muscles, 284
Cherki-Vakil, R. and Meiri, H., Postsynaptic effects of DMSO at the frog neuromuscular junction, 329
Chiang, C.-S. and McBride, W.H., Radiation enhances tumor necrosis factor α production by murine brain cells, 265
Chiba, T., see Takagishi, M., 26
Chitravanshi, V.C., Agarwal, S.K. and Calaresu, F.R., Microinjection of glycine into the nucleus ambiguus elicits tachycardia in spinal rats, 290
Chung, K., see Klein, C.M., 70
Cintra, A., see Aguirre, J.A., 61
Clarençon, D., see Testylier, G., 159
Coggeshall, R.E., see Klein, C.M., 70
Coleman-Hardee, M.L., see Peris, J., 255
Collet, L., see Duclaux, R., 152
Convents, A., see Vos, H.D., 13
Coulter, D.A., see Sombati, S., 316
Cowan, E.P., see McCarron, R.M., 325
Csiba, L., see Paschen, W., 354

Datta, S., Dossi, R.C., Paré, D., Oakson, G. and Steriade, M., Substantia nigra reticulata neurons during sleep–waking states: relation with ponto-geniculo-occipital waves, 344
De Backer, J.-P., see Vos, H.D., 13
De Jong, W., see Sandor, P., 212
De Keyser, J., see Vos, H.D., 13
De Wied, D., see Sandor, P., 212
Decambre, N., see Peris, J., 255
Del Bianco, E., Santicioli, P., Tramontana, M., Maggi, C.A., Cecconi, R. and Geppetti, P., Different pathways by which extracellular Ca^{2+} promotes calcitonin gene-related peptide release from central terminals of capsaicin-sensitive afferents of guinea pigs: effect of capsaicin, high K^+ and low pH media, 46
DeLorenzo, R.J., see Sombati, S., 316
deToledo-Morrell, L., see Geinisman, Y., 77
Diana, M., Mereu, G., Mura, A., Fadda, F., Passino, N. and Gessa, G., Low doses of γ-hydroxybutyric acid stimulate the firing rate of dopaminergic neurons in unanesthetized rats, 208
Dossi, R.C., see Datta, S., 344
Dragunow, M., see Jansen, K.L.R., 225
Duclaux, R., Challamel, M.J., Collet, L., Roullet-Solignac, I. and Revol, M., Hemispheric asymmetry of late auditory evoked response induced by pitch changes in infants: influence of sleep stages, 152

Ebinger, G., see Vos, H.D., 13
Edwards, D.J., see Antelman, S.M., 276

Fabricius, C., see Gatzinsky, K.P., 131
Fadda, F., see Diana, M., 208
Fatome, M., see Testylier, G., 159
Faull, R.L.M., see Jansen, K.L.R., 225
Feldman, S., see Weidenfeld, J., 140
Florack, V.J., see Watt, C.B., 337
Fuxe, K., see Aguirre, J.A., 61

Garant, D.S., see Xu, S.G., 108
Gatzinsky, K.P., Berthold, C.-H., Fabricius, C. and Mellström, A., Lysosomal activity at nodes of Ranvier in dorsal column and dorsal root axons of the cat after injection of horseradish peroxidase in the dorsal column nuclei, 131
Geinisman, Y., deToledo-Morrell, L. and Morrell, F., Induction of long-term potentiation is associated with an increase in the number of axospinous synapses with segmented postsynaptic densities, 77
Geppetti, P., see Del Bianco, E., 46
Gessa, G., see Diana, M., 208
Gintzler, A.R. and Komisaruk, B.R., Analgesia is produced by uterocervical mechanostimulation in rats: roles of afferent nerves and implications for analgesia of pregnancy and parturition, 299
Goodin, D.S., see Chequer, R.S., 284
Gourmelon, P., see Testylier, G., 159
Grace, M., see Levine, A.S., 193
Grundke-Iqbal, I., see Wang, G.P., 146
Gu, G.-B., see Han, Z.-S., 239

Han, J.S., see Ma, Q.P., 95
Han, Z.-S., Gu, G.-B., Sun, C.-Q. and Ju, G., Convergence of somatosensory and baroreceptive inputs onto parabrachio-subfornical organ neurons in the rat: an electrophysiological study, 239
Hedlund, P., see Aguirre, J.A., 61
Henselmans, J.M.L. and Stoof, J.C., Regional differences in the regulation of acetylcholine release upon D_2 dopamine and *N*-methyl-D-aspartate receptor activation in rat nucleus accumbens and neostriatum, 1
Henselmans, J.M.L., Hoogland, P.V. and Stoof, J.C., Differences in the regulation of acetylcholine release upon D_2 dopamine and *N*-methyl-D-aspartate receptor activation between the striatal complex of reptiles and the neostriatum of rats, 8
Herdegen, T., see Leah, J.D., 198
Hewett, S.J. and Atchison, W.D., Serum and plasma from patients with Lambert-Eaton Myasthenic Syndrome reduce depolarization-dependent uptake of $^{45}Ca^{2+}$ into rat cortical synaptosomes, 320
Hoebel, B.G., see Pothos, E., 348
Holstege, J.C. and Bongers, C.M.H., A glycinergic projection from the ventro-

medial lower brainstem to spinal motoneurons. An ultrastructural double labeling study in rat, 308
Hoogland, P.V., see Henselmans, J.M.L., 8
Hornykiewicz, O., see Bertel, O., 54

III, H.B., see Antelman, S.M., 276
Iqbal, K., see Wang, G.P., 146
Itzhak, Y. and Stein, I., Regulation of σ receptors and responsiveness to guanine nucleotides following repeated exposure of rats to haloperidol: further evidence for multiple σ binding sites, 166

Jansen, K.L.R., Faull, R.L.M., Dragunow, M. and Leslie, R.A., Distribution of excitatory and inhibitory amino acid, sigma, monoamine, catecholamine, acetylcholine, opioid, neurotensin, substance P, adenosine and neuropeptide Y receptors in human motor and somatosensory cortex, 225
Ju, G., see Han, Z.-S., 239

Khatoon, S., see Wang, G.P., 146
Klein, C.M., Sorkin, L.S., Chung, K. and Coggeshall, R.E., Unmyelinated primary afferent fiber stimulation depletes dynorphin A (1–8) immunoreactivity in rat ventral horn, 70
Knopf, S., see Antelman, S.M., 276
Kocan, D., see Antelman, S.M., 276
Komisaruk, B.R., see Gintzler, A.R., 299
Kurokawa, M., Sakata, T., Yoshimatsu, H. and Machidori, H., 2,5-Anhydro-D-mannitol: its unique central action on food intake and blood glucose in rats, 270

Lam, D.M.K., see Watt, C.B., 337
Laskey, R., see Neary, J.T., 89
Leah, J.D., Herdegen, T. and Bravo, R., Selective expression of Jun proteins following axotomy and axonal transport block in peripheral nerves in the rat: evidence for a role in the regeneration process, 198
Lechan, R.M., see Van den Bergh, P., 219
Leslie, R.A., see Jansen, K.L.R., 225
Levine, A.S., Grace, M., Billington, C.J. and Zimmerman, D.M., Central administration of the opioid antagonist, LY255582, decreases short- and long-term food intake in rats, 193

Ma, Q.P. and Han, J.S., Neurochemical studies on the mesolimbic circuitry of antinociception, 95
Machidori, H., see Kurokawa, M., 270
Maggi, C.A., see Del Bianco, E., 46
Malessa, S., see Bertel, O., 54
Mallick, B.N., see Alam, M.N., 303
Mark, G.P., see Pothos, E., 348
Matsunaga, T., see Ohno, K., 103
Maurin, Y., see Mitrovic, N., 248
McBride, W.H., see Chiang, C.-S., 265
McCarron, R.M., Wang, L., Cowan, E.P. and Spatz, M., Class II MHC antigen expression by cultured human cerebral vascular endothelial cells, 325
Meiri, H., see Cherki-Vakil, R., 329
Mellström, A., see Gatzinsky, K.P., 131
Mereu, G., see Diana, M., 208
Meyer, D., see Antelman, S.M., 276
Mitrovic, N., Caboche, J., Carré, J.B., Besson, M.J. and Maurin, Y., The quaking mouse: an epileptic mutant with alterations affecting the modulatory mechanisms of the NMDA receptor complex, 248
Morin, L.P. and Blanchard, J., Depletion of brain serotonin by 5,7-DHT modifies hamster circadian rhythm response to light, 173
Morin, L.P. and Blanchard, J., Serotonergic modulation of the hamster wheelrunning rhythm: response to lighting conditions and food deprivation, 186
Morrell, F., see Geinisman, Y., 77
Moshé, S.L., see Xu, S.G., 108
Multon, E., see Testylier, G., 159
Mura, A., see Diana, M., 208

Narváez, J.A., see Aguirre, J.A., 61
Neary, J.T., Laskey, R., Van Breemen, C., Blicharska, J., Norenberg, L.O.B. and Norenberg, M.D., ATP-evoked calcium signal stimulates protein phosphorylation/dephosphorylation in astrocytes, 89
Nemoto, E., see Schor, N.F., 342
Norenberg, L.O.B., see Neary, J.T., 89
Norenberg, M.D., see Neary, J.T., 89

Oakson, G., see Datta, S., 344
Octave, J.-N., see Van den Bergh, P., 219
Ohno, K., Takeda, N., Yamano, M., Matsunaga, T. and Tohyama, M., Coexistence of acetylcholine and calcitonin gene-related peptide in the vestibular efferent neurons in the rat, 103

Palkovits, M., see Sandor, P., 212
Pant, H.C., see Shah, J., 127
Paré, D., see Datta, S., 344
Paschen, W., Csiba, L., Röhn, G. and Bereczki, D., Polyamine metabolism in transient focal ischemia of rat brain, 354
Passino, N., see Diana, M., 208
Pasternak, G.W., see Pick, C.G., 295
Paul, D., see Pick, C.G., 295
Peris, J., Decambre, N., Coleman-Hardee, M.L. and Simpkins, J.W., Estradiol enhances behavioral sensitization to cocaine and amphetamine-stimulated striatal [^{3}H]dopamine release, 255
Petty, M., see Sandor, P., 212
Pick, C.G., Cheng, J., Paul, D. and Pasternak, G.W., Genetic influences in opioid analgesic sensitivity in mice, 295
Pothos, E., Rada, P., Mark, G.P. and Hoebel, B.G., Dopamine microdialysis in the nucleus accumbens during acute and chronic morphine, naloxone-precipitated withdrawal and clonidine treatment, 348

Rada, P., see Pothos, E., 348
Reece, L.J. and Schwartzkroin, P.A., Effects of cholinergic agonists on two nonpyramidal cell types in rat hippocampal slices, 115
Revol, M., see Duclaux, R., 152
Richter-Levin, G. and Segal, M., Restoration of serotonergic innervation underlies the behavioral effects of raphe grafts, 21
Röhn, G., see Paschen, W., 354
Romero, M.-T., see Canbeyli, R.S., 40
Rosén, L., see Aguirre, J.A., 61
Roullet-Solignac, I., see Duclaux, R., 152

Sakata, T., see Kurokawa, M., 270
Sandor, P., Petty, M., De Jong, W., Palkovits, M. and De Wied, D., Hypothalamic blood flow autoregulation remains unaltered following surgical and pharmacological blockade of central vasopressin, 212
Santicioli, P., see Del Bianco, E., 46
Schor, N.F., Ahdab-Barmada, M. and Nemoto, E., Brain glutamine synthetase activity and hyperoxia in neonatal rats, 342
Schwartzkroin, P.A., see Reece, L.J., 115
Segal, M., see Richter-Levin, G., 21
Shah, J. and Pant, H.C., Effect of cadmium on Ca^{2+} transport in brain microsomes, 127
Silver, R., see Canbeyli, R.S., 40
Simpkins, J.W., see Peris, J., 255
Sluga, E., see Bertel, O., 54
Sombati, S., Coulter, D.A. and DeLorenzo, R.J., Neurotoxic activation of glutamate receptors induces an extended neuronal depolarization in cultured hippocampal neurons , 316
Sorkin, L.S., see Klein, C.M., 70
Spatz, M., see McCarron, R.M., 325
Sperber, E.F., see Xu, S.G., 108
Stein, I., see Itzhak, Y., 166
Steriade, M., see Datta, S., 344
Stoof, J.C., see Henselmans, J.M.L., 1
Stoof, J.C., see Henselmans, J.M.L., 8
Sun, C.-Q., see Han, Z.-S., 239

Takagishi, M. and Chiba, T., Efferent projections of the infralimbic (area 25) region of the medial prefrontal cortex in the rat: an anterograde tracer PHA-L study, 26
Takeda, N., see Ohno, K., 103
Testylier, G., Gourmelon, P., Clarençon, D., Multon, E., Fatome, M. and Viret, J., Rapid postmortem decrease in the ectocellular acetylcholinesterase activity in rat striatum as assessed by in vivo microspectrophotometry, 159
Tohyama, M., see Ohno, K., 103
Tramontana, M., see Del Bianco, E., 46

Van Breemen, C., see Neary, J.T., 89
Van den Bergh, P., Octave, J.-N. and Lechan, R.M., Muscle denervation increases thyrotropin-releasing hormone (TRH) biosynthesis in the rat medullary raphe, 219
Van Megen, I.J.B., see Vos, H.D., 13
Vauquelin, G., see Vos, H.D., 13
Viret, J., see Testylier, G., 159
Vos, H.D., Convents, A., De Keyser, J., De Backer, J.-P., Van Megen, I.J.B., Ebinger, G. and Vauquelin, G., Autoradiographic distribution of α_2 adrenoceptors, NAIBS, and 5-HT_{1A} receptors in human brain using [^{3}H]idazoxan and [^{3}H]rauwolscine, 13

Wang, G.P., Khatoon, S., Iqbal, K. and Grundke-Iqbal, I., Brain ubiquitin is markedly elevated in Alzheimer disease, 146

Wang, L., see McCarron, R.M., 325

Watt, C.B., Florack, V.J. and Lam, D.M.K., A double-label analysis demonstrating that all enkephalin-immunoreactive amacrine cells in the chicken retina express neurotensin immunoreactivity, 337

Weidenfeld, J. and Feldman, S., Effect of 6-hydroxydopamine and 5,7-dihydroxytryptamine on tissue uptake and cell nuclear retention of corticosterone in the rat hypothalamus, 140

Xu, S.G., Garant, D.S., Sperber, E.F. and Moshé, S.L., Effects of substantia nigra γ-vinyl-GABA infusions on flurothyl seizures in adult rats, 108

Yamano, M., see Ohno, K., 103

Yoshimatsu, H., see Kurokawa, M., 270

Zimmerman, D.M., see Levine, A.S., 193